



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

$$3 \frac{2}{5}$$

$$3 \frac{2}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

The 3 is your whole number. While the remainder become the numerator.

Your denominator stays the same.

And now you have your mixed number.

Answers

Ex. $5 \frac{3}{4}$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____

Ex) $\frac{23}{4} = 5 \frac{3}{4}$

1) $\frac{20}{7} =$

2) $\frac{11}{10} =$

3) $\frac{6}{4} =$

4) $\frac{13}{4} =$

5) $\frac{66}{7} =$

6) $\frac{86}{8} =$

7) $\frac{25}{6} =$

8) $\frac{102}{10} =$

9) $\frac{51}{7} =$

10) $\frac{29}{3} =$

11) $\frac{7}{2} =$

12) $\frac{37}{10} =$

13) $\frac{21}{4} =$

14) $\frac{10}{4} =$

15) $\frac{14}{5} =$

16) $\frac{31}{3} =$

17) $\frac{53}{9} =$

18) $\frac{49}{5} =$

19) $\frac{42}{8} =$

20) $\frac{77}{8} =$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same. And now you have your mixed number.

Ex) $\frac{23}{4} = 5 \frac{3}{4}$

1) $\frac{20}{7} = 2 \frac{6}{7}$

2) $\frac{11}{10} = 1 \frac{1}{10}$

3) $\frac{6}{4} = 1 \frac{2}{4}$

4) $\frac{13}{4} = 3 \frac{1}{4}$

5) $\frac{66}{7} = 9 \frac{3}{7}$

6) $\frac{86}{8} = 10 \frac{6}{8}$

7) $\frac{25}{6} = 4 \frac{1}{6}$

8) $\frac{102}{10} = 10 \frac{2}{10}$

9) $\frac{51}{7} = 7 \frac{2}{7}$

10) $\frac{29}{3} = 9 \frac{2}{3}$

11) $\frac{7}{2} = 3 \frac{1}{2}$

12) $\frac{37}{10} = 3 \frac{7}{10}$

13) $\frac{21}{4} = 5 \frac{1}{4}$

14) $\frac{10}{4} = 2 \frac{2}{4}$

15) $\frac{14}{5} = 2 \frac{4}{5}$

16) $\frac{31}{3} = 10 \frac{1}{3}$

17) $\frac{53}{9} = 5 \frac{8}{9}$

18) $\frac{49}{5} = 9 \frac{4}{5}$

19) $\frac{42}{8} = 5 \frac{2}{8}$

20) $\frac{77}{8} = 9 \frac{5}{8}$

Answers

Ex. $5 \frac{3}{4}$

1. $2 \frac{6}{7}$

2. $1 \frac{1}{10}$

3. $1 \frac{2}{4}$

4. $3 \frac{1}{4}$

5. $9 \frac{3}{7}$

6. $10 \frac{6}{8}$

7. $4 \frac{1}{6}$

8. $10 \frac{2}{10}$

9. $7 \frac{2}{7}$

10. $9 \frac{2}{3}$

11. $3 \frac{1}{2}$

12. $3 \frac{7}{10}$

13. $5 \frac{1}{4}$

14. $2 \frac{2}{4}$

15. $2 \frac{4}{5}$

16. $10 \frac{1}{3}$

17. $5 \frac{8}{9}$

18. $9 \frac{4}{5}$

19. $5 \frac{2}{8}$

20. $9 \frac{5}{8}$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

$$3 \frac{2}{5}$$

$$3 \frac{2}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

The 3 is your whole number. While the remainder become the numerator.

Your denominator stays the same.

And now you have your mixed number.

Answers

Ex. 1 $\frac{8}{9}$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____

Ex) $\frac{17}{9} = 1 \frac{8}{9}$

1) $\frac{71}{8} =$

2) $\frac{41}{6} =$

3) $\frac{16}{7} =$

4) $\frac{23}{4} =$

5) $\frac{81}{10} =$

6) $\frac{34}{8} =$

7) $\frac{25}{9} =$

8) $\frac{17}{4} =$

9) $\frac{57}{7} =$

10) $\frac{27}{4} =$

11) $\frac{4}{3} =$

12) $\frac{19}{10} =$

13) $\frac{21}{2} =$

14) $\frac{27}{8} =$

15) $\frac{28}{8} =$

16) $\frac{8}{5} =$

17) $\frac{31}{3} =$

18) $\frac{32}{7} =$

19) $\frac{22}{5} =$

20) $\frac{32}{3} =$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same. And now you have your mixed number.

Ex) $\frac{17}{9} = 1 \frac{8}{9}$

1) $\frac{71}{8} = 8 \frac{7}{8}$

2) $\frac{41}{6} = 6 \frac{5}{6}$

3) $\frac{16}{7} = 2 \frac{2}{7}$

4) $\frac{23}{4} = 5 \frac{3}{4}$

5) $\frac{81}{10} = 8 \frac{1}{10}$

6) $\frac{34}{8} = 4 \frac{2}{8}$

7) $\frac{25}{9} = 2 \frac{7}{9}$

8) $\frac{17}{4} = 4 \frac{1}{4}$

9) $\frac{57}{7} = 8 \frac{1}{7}$

10) $\frac{27}{4} = 6 \frac{3}{4}$

11) $\frac{4}{3} = 1 \frac{1}{3}$

12) $\frac{19}{10} = 1 \frac{9}{10}$

13) $\frac{21}{2} = 10 \frac{1}{2}$

14) $\frac{27}{8} = 3 \frac{3}{8}$

15) $\frac{28}{8} = 3 \frac{4}{8}$

16) $\frac{8}{5} = 1 \frac{3}{5}$

17) $\frac{31}{3} = 10 \frac{1}{3}$

18) $\frac{32}{7} = 4 \frac{4}{7}$

19) $\frac{22}{5} = 4 \frac{2}{5}$

20) $\frac{32}{3} = 10 \frac{2}{3}$

Answers

Ex. $1 \frac{8}{9}$

1. $8 \frac{7}{8}$

2. $6 \frac{5}{6}$

3. $2 \frac{2}{7}$

4. $5 \frac{3}{4}$

5. $8 \frac{1}{10}$

6. $4 \frac{2}{8}$

7. $2 \frac{7}{9}$

8. $4 \frac{1}{4}$

9. $8 \frac{1}{7}$

10. $6 \frac{3}{4}$

11. $1 \frac{1}{3}$

12. $1 \frac{9}{10}$

13. $10 \frac{1}{2}$

14. $3 \frac{3}{8}$

15. $3 \frac{4}{8}$

16. $1 \frac{3}{5}$

17. $10 \frac{1}{3}$

18. $4 \frac{4}{7}$

19. $4 \frac{2}{5}$

20. $10 \frac{2}{3}$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

$$3 \frac{2}{5}$$

$$3 \frac{2}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

The 3 is your whole number. While the remainder become the numerator.

Your denominator stays the same.

And now you have your mixed number.

Answers

Ex. $3 \frac{2}{5}$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____

Ex) $\frac{17}{5} = 3 \frac{2}{5}$

1) $\frac{52}{6} =$

2) $\frac{19}{2} =$

3) $\frac{35}{6} =$

4) $\frac{65}{6} =$

5) $\frac{29}{3} =$

6) $\frac{24}{5} =$

7) $\frac{47}{10} =$

8) $\frac{27}{4} =$

9) $\frac{21}{4} =$

10) $\frac{107}{10} =$

11) $\frac{26}{7} =$

12) $\frac{14}{5} =$

13) $\frac{28}{3} =$

14) $\frac{103}{10} =$

15) $\frac{32}{10} =$

16) $\frac{9}{2} =$

17) $\frac{39}{8} =$

18) $\frac{3}{2} =$

19) $\frac{5}{3} =$

20) $\frac{48}{7} =$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same. And now you have your mixed number.

Ex) $\frac{17}{5} = 3 \frac{2}{5}$

1) $\frac{52}{6} = 8 \frac{4}{6}$

2) $\frac{19}{2} = 9 \frac{1}{2}$

3) $\frac{35}{6} = 5 \frac{5}{6}$

4) $\frac{65}{6} = 10 \frac{5}{6}$

5) $\frac{29}{3} = 9 \frac{2}{3}$

6) $\frac{24}{5} = 4 \frac{4}{5}$

7) $\frac{47}{10} = 4 \frac{7}{10}$

8) $\frac{27}{4} = 6 \frac{3}{4}$

9) $\frac{21}{4} = 5 \frac{1}{4}$

10) $\frac{107}{10} = 10 \frac{7}{10}$

11) $\frac{26}{7} = 3 \frac{5}{7}$

12) $\frac{14}{5} = 2 \frac{4}{5}$

13) $\frac{28}{3} = 9 \frac{1}{3}$

14) $\frac{103}{10} = 10 \frac{3}{10}$

15) $\frac{32}{10} = 3 \frac{2}{10}$

16) $\frac{9}{2} = 4 \frac{1}{2}$

17) $\frac{39}{8} = 4 \frac{7}{8}$

18) $\frac{3}{2} = 1 \frac{1}{2}$

19) $\frac{5}{3} = 1 \frac{2}{3}$

20) $\frac{48}{7} = 6 \frac{6}{7}$

Answers

Ex. $3 \frac{2}{5}$

1. $8 \frac{4}{6}$

2. $9 \frac{1}{2}$

3. $5 \frac{5}{6}$

4. $10 \frac{5}{6}$

5. $9 \frac{2}{3}$

6. $4 \frac{4}{5}$

7. $4 \frac{7}{10}$

8. $6 \frac{3}{4}$

9. $5 \frac{1}{4}$

10. $10 \frac{7}{10}$

11. $3 \frac{5}{7}$

12. $2 \frac{4}{5}$

13. $9 \frac{1}{3}$

14. $10 \frac{3}{10}$

15. $3 \frac{2}{10}$

16. $4 \frac{1}{2}$

17. $4 \frac{7}{8}$

18. $1 \frac{1}{2}$

19. $1 \frac{2}{3}$

20. $6 \frac{6}{7}$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

$$3 \frac{2}{5}$$

$$3 \frac{2}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

The 3 is your whole number. While the remainder become the numerator.

Your denominator stays the same.

And now you have your mixed number.

Answers

Ex. $4 \frac{5}{7}$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____

Ex) $\frac{33}{7} = 4 \frac{5}{7}$

1) $\frac{57}{6} =$

2) $\frac{54}{8} =$

3) $\frac{76}{7} =$

4) $\frac{44}{5} =$

5) $\frac{76}{10} =$

6) $\frac{17}{2} =$

7) $\frac{21}{6} =$

8) $\frac{65}{8} =$

9) $\frac{56}{6} =$

10) $\frac{65}{10} =$

11) $\frac{65}{6} =$

12) $\frac{19}{4} =$

13) $\frac{58}{7} =$

14) $\frac{16}{6} =$

15) $\frac{9}{2} =$

16) $\frac{19}{2} =$

17) $\frac{54}{7} =$

18) $\frac{29}{3} =$

19) $\frac{50}{7} =$

20) $\frac{35}{9} =$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same. And now you have your mixed number.

Answers

Ex. $4 \frac{5}{7}$

1. $9 \frac{3}{6}$

2. $6 \frac{6}{8}$

3. $10 \frac{6}{7}$

4. $8 \frac{4}{5}$

5. $7 \frac{6}{10}$

6. $8 \frac{1}{2}$

7. $3 \frac{3}{6}$

8. $8 \frac{1}{8}$

9. $9 \frac{2}{6}$

10. $6 \frac{5}{10}$

11. $10 \frac{5}{6}$

12. $4 \frac{3}{4}$

13. $8 \frac{2}{7}$

14. $2 \frac{4}{6}$

15. $4 \frac{1}{2}$

16. $9 \frac{1}{2}$

17. $7 \frac{5}{7}$

18. $9 \frac{2}{3}$

19. $7 \frac{1}{7}$

20. $3 \frac{8}{9}$

Ex) $\frac{33}{7} = 4 \frac{5}{7}$

1) $\frac{57}{6} = 9 \frac{3}{6}$

2) $\frac{54}{8} = 6 \frac{6}{8}$

3) $\frac{76}{7} = 10 \frac{6}{7}$

4) $\frac{44}{5} = 8 \frac{4}{5}$

5) $\frac{76}{10} = 7 \frac{6}{10}$

6) $\frac{17}{2} = 8 \frac{1}{2}$

7) $\frac{21}{6} = 3 \frac{3}{6}$

8) $\frac{65}{8} = 8 \frac{1}{8}$

9) $\frac{56}{6} = 9 \frac{2}{6}$

10) $\frac{65}{10} = 6 \frac{5}{10}$

11) $\frac{65}{6} = 10 \frac{5}{6}$

12) $\frac{19}{4} = 4 \frac{3}{4}$

13) $\frac{58}{7} = 8 \frac{2}{7}$

14) $\frac{16}{6} = 2 \frac{4}{6}$

15) $\frac{9}{2} = 4 \frac{1}{2}$

16) $\frac{19}{2} = 9 \frac{1}{2}$

17) $\frac{54}{7} = 7 \frac{5}{7}$

18) $\frac{29}{3} = 9 \frac{2}{3}$

19) $\frac{50}{7} = 7 \frac{1}{7}$

20) $\frac{35}{9} = 3 \frac{8}{9}$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

$$3 \frac{2}{5}$$

$$3 \frac{2}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

The 3 is your whole number. While the remainder become the numerator.

Your denominator stays the same.

And now you have your mixed number.

Answers

Ex. $6 \frac{4}{7}$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____

Ex) $\frac{46}{7} = 6 \frac{4}{7}$

1) $\frac{42}{10} =$

2) $\frac{42}{8} =$

3) $\frac{78}{10} =$

4) $\frac{12}{7} =$

5) $\frac{11}{2} =$

6) $\frac{23}{3} =$

7) $\frac{9}{2} =$

8) $\frac{70}{8} =$

9) $\frac{15}{4} =$

10) $\frac{15}{2} =$

11) $\frac{20}{3} =$

12) $\frac{38}{5} =$

13) $\frac{15}{6} =$

14) $\frac{62}{6} =$

15) $\frac{85}{9} =$

16) $\frac{69}{9} =$

17) $\frac{22}{5} =$

18) $\frac{26}{8} =$

19) $\frac{25}{4} =$

20) $\frac{13}{4} =$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same. And now you have your mixed number.

Ex) $\frac{46}{7} = 6 \frac{4}{7}$

1) $\frac{42}{10} = 4 \frac{2}{10}$

2) $\frac{42}{8} = 5 \frac{2}{8}$

3) $\frac{78}{10} = 7 \frac{8}{10}$

4) $\frac{12}{7} = 1 \frac{5}{7}$

5) $\frac{11}{2} = 5 \frac{1}{2}$

6) $\frac{23}{3} = 7 \frac{2}{3}$

7) $\frac{9}{2} = 4 \frac{1}{2}$

8) $\frac{70}{8} = 8 \frac{6}{8}$

9) $\frac{15}{4} = 3 \frac{3}{4}$

10) $\frac{15}{2} = 7 \frac{1}{2}$

11) $\frac{20}{3} = 6 \frac{2}{3}$

12) $\frac{38}{5} = 7 \frac{3}{5}$

13) $\frac{15}{6} = 2 \frac{3}{6}$

14) $\frac{62}{6} = 10 \frac{2}{6}$

15) $\frac{85}{9} = 9 \frac{4}{9}$

16) $\frac{69}{9} = 7 \frac{6}{9}$

17) $\frac{22}{5} = 4 \frac{2}{5}$

18) $\frac{26}{8} = 3 \frac{2}{8}$

19) $\frac{25}{4} = 6 \frac{1}{4}$

20) $\frac{13}{4} = 3 \frac{1}{4}$

Answers

Ex. $6 \frac{4}{7}$

1. $4 \frac{2}{10}$

2. $5 \frac{2}{8}$

3. $7 \frac{8}{10}$

4. $1 \frac{5}{7}$

5. $5 \frac{1}{2}$

6. $7 \frac{2}{3}$

7. $4 \frac{1}{2}$

8. $8 \frac{6}{8}$

9. $3 \frac{3}{4}$

10. $7 \frac{1}{2}$

11. $6 \frac{2}{3}$

12. $7 \frac{3}{5}$

13. $2 \frac{3}{6}$

14. $10 \frac{2}{6}$

15. $9 \frac{4}{9}$

16. $7 \frac{6}{9}$

17. $4 \frac{2}{5}$

18. $3 \frac{2}{8}$

19. $6 \frac{1}{4}$

20. $3 \frac{1}{4}$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

$$3 \frac{2}{5}$$

$$3 \frac{2}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

The 3 is your whole number. While the remainder become the numerator.

Your denominator stays the same.

And now you have your mixed number.

Answers

Ex. $8 \frac{4}{7}$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____

Ex) $\frac{60}{7} = 8 \frac{4}{7}$

1) $\frac{67}{9} =$

2) $\frac{66}{8} =$

3) $\frac{9}{4} =$

4) $\frac{8}{7} =$

5) $\frac{15}{6} =$

6) $\frac{28}{3} =$

7) $\frac{13}{3} =$

8) $\frac{64}{7} =$

9) $\frac{22}{8} =$

10) $\frac{19}{3} =$

11) $\frac{39}{6} =$

12) $\frac{75}{8} =$

13) $\frac{29}{3} =$

14) $\frac{3}{2} =$

15) $\frac{109}{10} =$

16) $\frac{36}{5} =$

17) $\frac{78}{8} =$

18) $\frac{83}{10} =$

19) $\frac{58}{10} =$

20) $\frac{105}{10} =$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same.

And now you have your mixed number.

Ex) $\frac{60}{7} = 8 \frac{4}{7}$

1) $\frac{67}{9} = 7 \frac{4}{9}$

2) $\frac{66}{8} = 8 \frac{2}{8}$

3) $\frac{9}{4} = 2 \frac{1}{4}$

4) $\frac{8}{7} = 1 \frac{1}{7}$

5) $\frac{15}{6} = 2 \frac{3}{6}$

6) $\frac{28}{3} = 9 \frac{1}{3}$

7) $\frac{13}{3} = 4 \frac{1}{3}$

8) $\frac{64}{7} = 9 \frac{1}{7}$

9) $\frac{22}{8} = 2 \frac{6}{8}$

10) $\frac{19}{3} = 6 \frac{1}{3}$

11) $\frac{39}{6} = 6 \frac{3}{6}$

12) $\frac{75}{8} = 9 \frac{3}{8}$

13) $\frac{29}{3} = 9 \frac{2}{3}$

14) $\frac{3}{2} = 1 \frac{1}{2}$

15) $\frac{109}{10} = 10 \frac{9}{10}$

16) $\frac{36}{5} = 7 \frac{1}{5}$

17) $\frac{78}{8} = 9 \frac{6}{8}$

18) $\frac{83}{10} = 8 \frac{3}{10}$

19) $\frac{58}{10} = 5 \frac{8}{10}$

20) $\frac{105}{10} = 10 \frac{5}{10}$

Answers

Ex. $8 \frac{4}{7}$

1. $7 \frac{4}{9}$

2. $8 \frac{2}{8}$

3. $2 \frac{1}{4}$

4. $1 \frac{1}{7}$

5. $2 \frac{3}{6}$

6. $9 \frac{1}{3}$

7. $4 \frac{1}{3}$

8. $9 \frac{1}{7}$

9. $2 \frac{6}{8}$

10. $6 \frac{1}{3}$

11. $6 \frac{3}{6}$

12. $9 \frac{3}{8}$

13. $9 \frac{2}{3}$

14. $1 \frac{1}{2}$

15. $10 \frac{9}{10}$

16. $7 \frac{1}{5}$

17. $9 \frac{6}{8}$

18. $8 \frac{3}{10}$

19. $5 \frac{8}{10}$

20. $10 \frac{5}{10}$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

$$3 \frac{2}{5}$$

$$3 \frac{2}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

The 3 is your whole number. While the remainder become the numerator.

Your denominator stays the same.

And now you have your mixed number.

Answers

Ex. $8 \frac{1}{2}$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____

Ex) $\frac{17}{2} = 8 \frac{1}{2}$

1) $\frac{72}{7} =$

2) $\frac{64}{9} =$

3) $\frac{47}{9} =$

4) $\frac{53}{5} =$

5) $\frac{28}{3} =$

6) $\frac{50}{7} =$

7) $\frac{55}{8} =$

8) $\frac{34}{7} =$

9) $\frac{58}{9} =$

10) $\frac{15}{4} =$

11) $\frac{48}{5} =$

12) $\frac{58}{6} =$

13) $\frac{72}{10} =$

14) $\frac{37}{5} =$

15) $\frac{15}{2} =$

16) $\frac{68}{8} =$

17) $\frac{79}{9} =$

18) $\frac{42}{10} =$

19) $\frac{47}{10} =$

20) $\frac{5}{2} =$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same. And now you have your mixed number.

Ex) $\frac{17}{2} = 8 \frac{1}{2}$

1) $\frac{72}{7} = 10 \frac{2}{7}$

2) $\frac{64}{9} = 7 \frac{1}{9}$

3) $\frac{47}{9} = 5 \frac{2}{9}$

4) $\frac{53}{5} = 10 \frac{3}{5}$

5) $\frac{28}{3} = 9 \frac{1}{3}$

6) $\frac{50}{7} = 7 \frac{1}{7}$

7) $\frac{55}{8} = 6 \frac{7}{8}$

8) $\frac{34}{7} = 4 \frac{6}{7}$

9) $\frac{58}{9} = 6 \frac{4}{9}$

10) $\frac{15}{4} = 3 \frac{3}{4}$

11) $\frac{48}{5} = 9 \frac{3}{5}$

12) $\frac{58}{6} = 9 \frac{4}{6}$

13) $\frac{72}{10} = 7 \frac{2}{10}$

14) $\frac{37}{5} = 7 \frac{2}{5}$

15) $\frac{15}{2} = 7 \frac{1}{2}$

16) $\frac{68}{8} = 8 \frac{4}{8}$

17) $\frac{79}{9} = 8 \frac{7}{9}$

18) $\frac{42}{10} = 4 \frac{2}{10}$

19) $\frac{47}{10} = 4 \frac{7}{10}$

20) $\frac{5}{2} = 2 \frac{1}{2}$

Answers

Ex. $8 \frac{1}{2}$

1. $10 \frac{2}{7}$

2. $7 \frac{1}{9}$

3. $5 \frac{2}{9}$

4. $10 \frac{3}{5}$

5. $9 \frac{1}{3}$

6. $7 \frac{1}{7}$

7. $6 \frac{7}{8}$

8. $4 \frac{6}{7}$

9. $6 \frac{4}{9}$

10. $3 \frac{3}{4}$

11. $9 \frac{3}{5}$

12. $9 \frac{4}{6}$

13. $7 \frac{2}{10}$

14. $7 \frac{2}{5}$

15. $7 \frac{1}{2}$

16. $8 \frac{4}{8}$

17. $8 \frac{7}{9}$

18. $4 \frac{2}{10}$

19. $4 \frac{7}{10}$

20. $2 \frac{1}{2}$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

$$3 \frac{2}{5}$$

$$3 \frac{2}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

The 3 is your whole number. While the remainder become the numerator.

Your denominator stays the same.

And now you have your mixed number.

Answers

Ex. $6 \frac{3}{9}$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____

Ex) $\frac{57}{9} = 6 \frac{3}{9}$

1) $\frac{37}{6} =$

2) $\frac{69}{8} =$

3) $\frac{50}{6} =$

4) $\frac{39}{7} =$

5) $\frac{43}{8} =$

6) $\frac{93}{9} =$

7) $\frac{70}{8} =$

8) $\frac{23}{9} =$

9) $\frac{29}{7} =$

10) $\frac{3}{2} =$

11) $\frac{86}{9} =$

12) $\frac{34}{4} =$

13) $\frac{13}{2} =$

14) $\frac{17}{5} =$

15) $\frac{79}{10} =$

16) $\frac{33}{10} =$

17) $\frac{96}{10} =$

18) $\frac{65}{7} =$

19) $\frac{13}{3} =$

20) $\frac{82}{8} =$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same.

And now you have your mixed number.

Ex) $\frac{57}{9} = 6 \frac{3}{9}$

1) $\frac{37}{6} = 6 \frac{1}{6}$

2) $\frac{69}{8} = 8 \frac{5}{8}$

3) $\frac{50}{6} = 8 \frac{2}{6}$

4) $\frac{39}{7} = 5 \frac{4}{7}$

5) $\frac{43}{8} = 5 \frac{3}{8}$

6) $\frac{93}{9} = 10 \frac{3}{9}$

7) $\frac{70}{8} = 8 \frac{6}{8}$

8) $\frac{23}{9} = 2 \frac{5}{9}$

9) $\frac{29}{7} = 4 \frac{1}{7}$

10) $\frac{3}{2} = 1 \frac{1}{2}$

11) $\frac{86}{9} = 9 \frac{5}{9}$

12) $\frac{34}{4} = 8 \frac{2}{4}$

13) $\frac{13}{2} = 6 \frac{1}{2}$

14) $\frac{17}{5} = 3 \frac{2}{5}$

15) $\frac{79}{10} = 7 \frac{9}{10}$

16) $\frac{33}{10} = 3 \frac{3}{10}$

17) $\frac{96}{10} = 9 \frac{6}{10}$

18) $\frac{65}{7} = 9 \frac{2}{7}$

19) $\frac{13}{3} = 4 \frac{1}{3}$

20) $\frac{82}{8} = 10 \frac{2}{8}$

Answers

Ex. $6 \frac{3}{9}$

1. $6 \frac{1}{6}$

2. $8 \frac{5}{8}$

3. $8 \frac{2}{6}$

4. $5 \frac{4}{7}$

5. $5 \frac{3}{8}$

6. $10 \frac{3}{9}$

7. $8 \frac{6}{8}$

8. $2 \frac{5}{9}$

9. $4 \frac{1}{7}$

10. $1 \frac{1}{2}$

11. $9 \frac{5}{9}$

12. $8 \frac{2}{4}$

13. $6 \frac{1}{2}$

14. $3 \frac{2}{5}$

15. $7 \frac{9}{10}$

16. $3 \frac{3}{10}$

17. $9 \frac{6}{10}$

18. $9 \frac{2}{7}$

19. $4 \frac{1}{3}$

20. $10 \frac{2}{8}$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same.

And now you have your mixed number.

Answers

Ex. $4 \frac{3}{6}$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____

Ex) $\frac{27}{6} = 4 \frac{3}{6}$

1) $\frac{69}{8} =$

2) $\frac{43}{10} =$

3) $\frac{16}{3} =$

4) $\frac{25}{4} =$

5) $\frac{25}{7} =$

6) $\frac{35}{6} =$

7) $\frac{11}{9} =$

8) $\frac{25}{9} =$

9) $\frac{11}{5} =$

10) $\frac{12}{5} =$

11) $\frac{25}{6} =$

12) $\frac{32}{7} =$

13) $\frac{64}{7} =$

14) $\frac{45}{7} =$

15) $\frac{43}{7} =$

16) $\frac{53}{5} =$

17) $\frac{28}{6} =$

18) $\frac{20}{6} =$

19) $\frac{11}{7} =$

20) $\frac{13}{4} =$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same. And now you have your mixed number.

Answers

Ex. $4 \frac{3}{6}$

1. $8 \frac{5}{8}$

2. $4 \frac{3}{10}$

3. $5 \frac{1}{3}$

4. $6 \frac{1}{4}$

5. $3 \frac{4}{7}$

6. $5 \frac{5}{6}$

7. $1 \frac{2}{9}$

8. $2 \frac{7}{9}$

9. $2 \frac{1}{5}$

10. $2 \frac{2}{5}$

11. $4 \frac{1}{6}$

12. $4 \frac{4}{7}$

13. $9 \frac{1}{7}$

14. $6 \frac{3}{7}$

15. $6 \frac{1}{7}$

16. $10 \frac{3}{5}$

17. $4 \frac{4}{6}$

18. $3 \frac{2}{6}$

19. $1 \frac{4}{7}$

20. $3 \frac{1}{4}$

Ex) $\frac{27}{6} = 4 \frac{3}{6}$

1) $\frac{69}{8} = 8 \frac{5}{8}$

2) $\frac{43}{10} = 4 \frac{3}{10}$

3) $\frac{16}{3} = 5 \frac{1}{3}$

4) $\frac{25}{4} = 6 \frac{1}{4}$

5) $\frac{25}{7} = 3 \frac{4}{7}$

6) $\frac{35}{6} = 5 \frac{5}{6}$

7) $\frac{11}{9} = 1 \frac{2}{9}$

8) $\frac{25}{9} = 2 \frac{7}{9}$

9) $\frac{11}{5} = 2 \frac{1}{5}$

10) $\frac{12}{5} = 2 \frac{2}{5}$

11) $\frac{25}{6} = 4 \frac{1}{6}$

12) $\frac{32}{7} = 4 \frac{4}{7}$

13) $\frac{64}{7} = 9 \frac{1}{7}$

14) $\frac{45}{7} = 6 \frac{3}{7}$

15) $\frac{43}{7} = 6 \frac{1}{7}$

16) $\frac{53}{5} = 10 \frac{3}{5}$

17) $\frac{28}{6} = 4 \frac{4}{6}$

18) $\frac{20}{6} = 3 \frac{2}{6}$

19) $\frac{11}{7} = 1 \frac{4}{7}$

20) $\frac{13}{4} = 3 \frac{1}{4}$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

$$3 \frac{2}{5}$$

$$3 \frac{2}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

The 3 is your whole number. While the remainder become the numerator.

Your denominator stays the same.

And now you have your mixed number.

Answers

Ex. $10 \frac{2}{9}$

1. _____
2. _____
3. _____
4. _____
5. _____
6. _____
7. _____
8. _____
9. _____
10. _____
11. _____
12. _____
13. _____
14. _____
15. _____
16. _____
17. _____
18. _____
19. _____
20. _____

Ex) $\frac{92}{9} = 10 \frac{2}{9}$

1) $\frac{58}{7} =$

2) $\frac{8}{5} =$

3) $\frac{45}{7} =$

4) $\frac{13}{6} =$

5) $\frac{43}{6} =$

6) $\frac{30}{7} =$

7) $\frac{36}{8} =$

8) $\frac{23}{3} =$

9) $\frac{32}{7} =$

10) $\frac{87}{9} =$

11) $\frac{55}{7} =$

12) $\frac{87}{10} =$

13) $\frac{55}{10} =$

14) $\frac{49}{9} =$

15) $\frac{65}{7} =$

16) $\frac{38}{9} =$

17) $\frac{11}{10} =$

18) $\frac{23}{8} =$

19) $\frac{11}{2} =$

20) $\frac{50}{6} =$



Convert the improper fraction to a mixed number fraction.

$$\frac{17}{5}$$

First divide the numerator by the denominator.

$$17 \div 5 = 3 \text{ r}2$$

$$3 \frac{2}{5}$$

The 3 is your whole number. While the remainder become the numerator.

$$3 \frac{2}{5}$$

Your denominator stays the same.

And now you have your mixed number.

Ex) $\frac{92}{9} = 10 \frac{2}{9}$

1) $\frac{58}{7} = 8 \frac{2}{7}$

2) $\frac{8}{5} = 1 \frac{3}{5}$

3) $\frac{45}{7} = 6 \frac{3}{7}$

4) $\frac{13}{6} = 2 \frac{1}{6}$

5) $\frac{43}{6} = 7 \frac{1}{6}$

6) $\frac{30}{7} = 4 \frac{2}{7}$

7) $\frac{36}{8} = 4 \frac{4}{8}$

8) $\frac{23}{3} = 7 \frac{2}{3}$

9) $\frac{32}{7} = 4 \frac{4}{7}$

10) $\frac{87}{9} = 9 \frac{6}{9}$

11) $\frac{55}{7} = 7 \frac{6}{7}$

12) $\frac{87}{10} = 8 \frac{7}{10}$

13) $\frac{55}{10} = 5 \frac{5}{10}$

14) $\frac{49}{9} = 5 \frac{4}{9}$

15) $\frac{65}{7} = 9 \frac{2}{7}$

16) $\frac{38}{9} = 4 \frac{2}{9}$

17) $\frac{11}{10} = 1 \frac{1}{10}$

18) $\frac{23}{8} = 2 \frac{7}{8}$

19) $\frac{11}{2} = 5 \frac{1}{2}$

20) $\frac{50}{6} = 8 \frac{2}{6}$

Answers

Ex. $10 \frac{2}{9}$

1. $8 \frac{2}{7}$

2. $1 \frac{3}{5}$

3. $6 \frac{3}{7}$

4. $2 \frac{1}{6}$

5. $7 \frac{1}{6}$

6. $4 \frac{2}{7}$

7. $4 \frac{4}{8}$

8. $7 \frac{2}{3}$

9. $4 \frac{4}{7}$

10. $9 \frac{6}{9}$

11. $7 \frac{6}{7}$

12. $8 \frac{7}{10}$

13. $5 \frac{5}{10}$

14. $5 \frac{4}{9}$

15. $9 \frac{2}{7}$

16. $4 \frac{2}{9}$

17. $1 \frac{1}{10}$

18. $2 \frac{7}{8}$

19. $5 \frac{1}{2}$

20. $8 \frac{2}{6}$